	Application No.	Applicant(s)
Notice of Allowability		
	10/800,586 Examiner	REED, DAVID L. Art Unit
	Examiner	Artonic
	Brent A. Swarthout	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to telephonic interview on 9-13-06.		
2. The allowed claim(s) is/are 24-28.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	F □ Nation of Informal □	otont Application
2. Notice of Praftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal P	• •
	6. ⊠ Interview Summary Paper No./Mail Dat	e <u>9-13-06</u> .
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statement	ent of Reasons for Allowance
of Biological Material	9.	

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Edward Livingston on 9-13-06.

Claims 1-14,17-18 and 20-23 were canceled.

Claim 27 was amended to read as follows:

- 27. (Currently Amended) A method of evacuating premises comprising the steps of:
- a. ascertaining a safe direction of evacuation depending on a threat location,
 weather or other conditions;
- b. directing evacuation using audio and visual means, wherein said audio means comprises one from a group of indicators comprising a public address system and alarm that emits a coded alarm to indicate the direction of evacuation, wherein the coded alarm comprises one from a group of alarms that includes a number of different beeps including one beep to indicate evacuation through one of the predetermined exit site or the the North;

two beeps to indicate evacuation through oone of the predetermined exit site or to the East;

three beeps to indicate evacuation through one of the predetermined exit site or to the South;

Application/Control Number: 10/800,586 Page 3

Art Unit: 2612

four beeps to indicate evacuation through one of the predetermined exit site or the the West;

and a steady beep to indicate to seek shelter inside premises; and a fading sound to indicate the correct direction for evacuation.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brent A Swarthout whose telephone number is 571-272-2979. The examiner can normally be reached on M-F from 6:30 to 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Horabik, can be reached on 571-272-3068. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

But Swarthout
Brent A Swarthout
Art Unit 2636

BRENT A. SWARTHOUT PRIMARY EXAMINER